



Wellcraft[®]

2013 Product
Information Guide

INTRODUCTION

Welcome to the Wellcraft® team.

We are pleased to provide you this sales handbook which contains information essential to representing and selling Wellcraft boats. Use this book as both a study guide as you prepare to sell the 2013 Wellcraft models and as an “on-the-court” tool to assist you in providing accurate information to prospects and buyers.

We invite and urge you to commit yourself to having a record-breaking year for Wellcraft, your dealership and yourself. Use this handbook and your dealership’s team to train, develop and support you in delivering on your goals.

This book contains product information that you can use to familiarize yourself with the boats and as a quick reference for answering your customer’s questions.

Since its 1955 introduction, Wellcraft has become a force to be reckoned with in the boating industry; but there are many competitors trying hard to keep up. A successful sale against the competitive options begins with accurately presenting Wellcraft’s superior product benefits as shown in this handbook and then relating them to the buyer’s needs.

Good luck and thank you for your hard work and commitment.

TIGHT LINES!



TABLE OF CONTENTS

The Wellcraft® Brand	3
Series Overview	3
Eight Steps To Success.....	6
Warranty.....	8
180 Fisherman	16
180 Sportsman	20
210 Fisherman	24
210 Sportsman	28
210 Coastal®	32
232 Fisherman	36
232 Coastal.....	40
252 Fisherman	44
252 Coastal.....	48
290 Coastal.....	52
340 Coastal	56
30 Scarab Tournament ...	60
30 Scarab Sport	64
35 Scarab Tournament ...	68
35 Scarab Sport	72

Wellcraft, LLC
925 Frisbie Street
Cadillac, MI 49601

Notice:

Due to Wellcraft's policy of continual product improvement, specifications are subject to change without notice. The weights and volumes shown are approximate and can vary slightly from boat to boat. Wellcraft boats meet or exceed all USCG and NMMA requirements for certification at the date of manufacture.

Wellcraft boats are NMMA certified using ABYC Standards.



Performance disclosure:

Test results for each model were obtained using specified engines at sea level in ideal conditions with two or more test drivers aboard. Your performance may vary depending upon load, altitude, temperature, humidity, water conditions, choice of prop and cleanliness of the boat's hull.

Adeptus, Attwood, Bennett, Cummins, Clarion, Evinrude, GG Schmitt, Granulon, ITW, M&G Electronics, Mercruiser, Mercury, Moeller, Norcold, Perko, Rule, SeaLand, TH Marine, Taylor Made Systems, Teleflex, Universal Products, Volvo Penta, Windline, and Yamaha are registered names with their respective companies.

WELLCRAFT® BRAND

Wellcraft delivers an all-round boating experience for both coastal recreational fishermen and family boaters. Functionally considered layouts, a wider range of product offerings and more contemporary styling exceed owner's individual expectations when it comes to tournament or recreational fishing, cruising, diving, watersports and entertaining family and friends.

From the hull up, every Wellcraft is built with the consistency of quality and craftsmanship you'd expect from a leading boat manufacturer. Priced competitively, Wellcraft boats will continue to be recognized as the quality and value leader for boaters seeking an exciting, enjoyable and reliable all-around boating experience.

WELLCRAFT SERIES OVERVIEW

COASTAL SERIES™

Our all-inclusive family fishing package.

Looking for a family getaway cabin with all the comforts of home?

You'll find it aboard our luxury fishing line - The Coastal Series.

The backend is built for business. Superior offshore fishability comes standard with plenty of storage, plenty of room to maneuver, and plenty of reasons for you and your crew to catch yourself some fun.

With a reputation for premium appointments, thoughtful innovations and impeccably considered design, every Coastal® comes with a galley, head and all the quality cruiser style amenities you would expect of a top-line pleasure craft.

Round up the family and spend the day chasing "the big one", cruising the islands or simply relaxing in the lavish luxury and amazing versatility of our Coastal series.

FISHERMAN SERIES:

Functionally considered for the passionate fisherman.

There are those who fit fishing into their lives. And then there's the Wellcraft® Fisherman owner who fits life into fishing. Whether it's casting a line in the backwaters or trolling offshore, the Fisherman Series has all the options to deliver a fishing experience worth repeating.

From gigantic baitwells and mammoth fish boxes to an abundance of comfortable seating, gunwale-mounted rod storage and the safe and smooth performance of Deep-V hulls, you'll find the Fisherman Series easy to want and hard not to need.

Like your favorite lure or trusted rod, once you've fished from a Wellcraft Fisherman, you can't wait to use it again.

SPORTSMAN SERIES

Introducing a portable playground for the entire family.

Spirited and sleek, we created the Sportsman Series for families eager to catch a new world of fun. From wakeboarding and tubing to fishing and cruising the options are as endless as the waters you explore. With features including a fresh-water sink and storage capable of holding a lot more than fish, you can go places and stay for the day. When you invest in a Sportsman, you're investing in family memories that will last a lifetime.

SCARAB® OFFSHORE CENTER CONSOLES

A step up – every time you step aboard.

The SCARAB Offshore Center Console Series is not your average fishing boat.

These are tournament-grade center consoles built with legendary performance hulls that are tested, trusted and approved by tournament champions.

If you're after the big fish, this series puts you ahead of the game. Hold on to your hat – these long-range, highly specialized machines can be configured to unleash up to 1050 HP with on-a-dime agility.

True to Wellcraft®'s reputation, solid and dependable Deep-V hulls provide superior handling and a smooth dry ride that is beyond compare. And premium features provide the fishability expected by you, your crew and all who follow.

EIGHT STEPS TO SUCCESS

The selling process consists of eight very unique and important steps – greeting, qualifying, presentation, special deal, trial close, close, deposit, and follow-up. If you take too many shortcuts or fail to recognize each step of the process, your chance of making a sale will severely diminish. Whether you're an "Old Pro" or just beginning a new career in sales, these eight steps are exactly the same, no matter what you sell. If your prospect has an apparent want or need of the product—yet does not buy—it's likely due to the sales technique instead of the product. Remember: The basic steps of sales never change! With practice, the sooner you recognize each phase of the sales process, the easier the sale will happen. Let's take a closer look and review the eight basic steps.

■ **GREETING:** You'll never get a second chance to make a good first impression. The sale happens in the first five minutes, or it doesn't happen at all...regardless of the total time spent with the prospect. Good first impressions are extremely important in the selling process. Greet every prospect right away and introduce yourself (by name) with a handshake and a smile. This approach sure beats the world's oldest cliché: "Hi...can I help you?" No matter what you say then, you'll always hear the standard reply: "No thanks, just looking." If you ask a question, make sure it will be responded to with a positive answer, it is also important to find out the customer's name and use it often.

■ **QUALIFY:** Never stop qualifying your prospect...even after the sale! What is qualifying? Qualifying is the technique of asking specific questions to determine the wants and needs of your prospect. Specific questions that should always be prefaced with: Who, What, When, Where, How and Why...We'll name those types of questions open-ended because they require your prospect to talk with you instead of simply answering your questions with a yes or no. Open-ended questions will also help a salesperson maintain control of the selling process by leading the process by leading the prospect towards good decisions. Customers buy for one reason only. Emotional satisfaction. The more immediate the gratification is, the faster they will buy! It is important to find out what budget the customer has set, as you can always move a customer up in price and size, but it is extremely difficult to move him down.

■ **PRESENTATION:** Nearly all products (and many services) must be demonstrated to be believable...and eventually purchased. This does not imply, however, in order to sell boats in the wintertime, you must take them out for a test ride. Quite the opposite. You need to first establish if you have a qualified prospect. Through effective questioning, you will determine what model, power, equipment, style or other important features your prospect wants and needs. Once you have a better idea of your prospect's needs and wants, then you've earned the right to show and demonstrate your product. Try to choose only one boat that fits your prospect's needs. Picking more than one boat requires decision and more time of the salespeople. "I have just the boat you are looking for." Don't be a tour guide, or attempt to show them every model. Be sure to listen very carefully and become an active listener. Think of yourself as an assistant buyer with your prospect. Speaking too soon or often could cause you to blow the sale. Whenever you show your product's features, be sure to get your prospect involved in the demonstration. Show and demonstrate only those features that are the most important to your prospect, then set the hook by explaining product benefits.

EIGHT STEPS TO SUCCESS

Don't waste their time or yours talking about unimportant features. During any demonstration, be sure and ask the prospect their opinion, too. If you're tellin'...you ain't sellin'! Never say anything negative about the competition, but instead, learn the weak points of the competition and sell the positive points of Wellcraft®.

Generally, the retail customer will only remember approximately 3 points about your presentation a day later, so make sure he remembers the strongest and/or most critical points. Remember, you are also selling yourself, and many times the sale is made because the customer really likes the salesperson. Don't sell your Wellcraft dealership short; stress service, inventories, facilities, longevity, etc. Make sure that you have all your facts and figures right and that they are realistic!

■ **SPECIAL DEAL:** (Reasons to buy today!) Buying decisions are rarely determined by price alone. Even though price is important, it's usually out-weighted by other buying considerations such as availability, color, features and selection. By contrast, something that appears to be a good deal to you, may NOT be a good deal for someone else. Professional salespeople learn to present benefits instead of features as best reasons to buy the product now.

■ **TRIAL CLOSE:** THE ABC's of closing. (Always Be Closing.) The trial close should be used often to test the prospect's interest and will help you determine if and when the prospect is likely to buy. Trial closing is like taking someone's buying temperature. We determine how hot the prospect is by asking open-ended questions. Here are a few examples of trial closing questions: "How does this model look to you?" "Does this boat have what you're looking for?" "What sort of payment range did you have in mind?" "How does this Wellcraft compare with other boats you've seen?" Remember also that some objections are very likely to come up during the trial closing process too. But that's a positive signal. That means your prospect is truly interested and gives you time to pause and think about your next response. The best salespeople actually learn how to anticipate objections before they happen. When you get hit with an objection, remember this simple formula for overcoming objections: Listen, Acknowledge, Question, Think and Confirm.

■ **CLOSING:** The more you practice, the more you'll sell. There's no such thing as a good salesperson who's a poor closer. If you can't close, you can't sell. Another big difference between trial closing and closing is commitment. Closing should never be a mystery. You'll know when to close because all objections are behind. The most important rule about closing is: Ask for the order!

■ **DEPOSIT:** What you should say if you can't get paid in full. When you ask for a deposit try: "How much can you leave with us today? Instead of "I'll need 10% down to hold this price during the show." The more money you get at the time of sale, the more committed your customer is.

■ **FOLLOW-UP:** The average salesperson typically asks a prospect to buy only once. Unfortunately, that's true. But that doesn't mean all prospects are just tire kickers. Boat buyers today are no different than before, only their needs have changes. Personalized selling gets the job done today. Sell yourself, sell your dealership, sell Wellcraft and follow up often.

NORTH AMERICAN

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first North American retail purchaser of this 2013 model year Wellcraft boat or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights, which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2013 Wellcraft boat and there are no express warranties which extend beyond those outlined in this limited warranty. Under the laws of certain states, there may be no implied warranties from Wellcraft and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

Coverage Under this Limited Warranty:

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-structural Parts and Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Structural Components of the Deck and Liner Limited Warranty: The limited warranty period runs for five (5) years for defects in structural components of the deck and liner, except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the hull flange (i.e. gunwale). A "Structural Deck Defect" shall mean a defect that causes the Deck to be unsafe or unfit for use under normal operating conditions.

Structural Components of the Hull, Stringer and Transom Limited Warranty: The limited warranty period runs for ten (10) years for defects in structural components of the hull, stringer and transom, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period runs from the date of delivery of the boat to the first North American retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, calculation of the remaining warranty period will run from the date of its manufacture, not from the date the boat was delivered to the first North American retail purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the boat to the first North American retail purchaser; Wellcraft will then determine and advise what warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural component limited warranties on the boat will be in effect and they run from the date of the boat's manufacture, not from the date the boat was delivered to the first North American retail purchaser; all other limited warranties are voided. All warranties run concurrently.

This limited warranty may be transferred to a second North American retail

purchaser, if the transfer occurs within five (5) years of the boat's sale to the first North American retail purchaser, for a non-refundable recording fee of \$200 (US) for boats 21' or less, \$300 (US) for boats more than 21' to 26' or \$500 (US) for boats more than 26', provided that the second North American retail purchaser purchases the boat from the first North American retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Wellcraft. The limited warranty may only be transferred once. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second North American retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first North American retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium plated, stainless steel and other metal finishes.
8. Gelcoat fading or discoloration that occurs below or at the water line on the hull.
9. Gelcoat damage resulting from blistering and osmotic blistering; and original gel surface that has been altered in any way, including by repair, by application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, by improper surface preparation for paint or by improper or excessive sanding, scraping or sandblasting
10. The cost of removal or re-installation of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat that has been misused; used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.

14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred.

PRE-DELIVERY SERVICE & WARRANTY REGISTRATION

Prior to delivering a new Wellcraft boat to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Wellcraft warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No warranty coverage is applicable to the boat and/or trailer unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer extranet.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Wellcraft dealer will carry out the warranty procedures on your behalf. All limited warranty work must be performed at an authorized Wellcraft dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer within the applicable limited warranty period and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft warranty claim form if the claim is not submitted through the Wellcraft Extranet by the dealer.

If sublet warranty repairs are required for any reason, the authorized Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number).** Wellcraft will not honor or pay for claims submitted for repairs

by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft). Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

Wellcraft
925 Frisbie Street
Cadillac, MI 49601
Telephone: 231-775-1351

INTERNATIONAL

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first International retail purchaser of this 2013 model year Wellcraft boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2013 Wellcraft boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW.

Coverage Under this Limited Warranty:

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-structural Parts and Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Structural Components of the Deck and Liner Limited Warranty: The limited warranty period runs for five (5) years for defects in structural components of the deck and liner, except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the hull flange (i.e. gunwale). A "Structural Deck Defect" shall mean a defect that causes the Deck to be unsafe or unfit for use under normal operating conditions.

Structural Components of the Hull, Stringer and Transom Limited Warranty: The limited warranty period runs for ten (10) years for defects in structural components of the hull, stringer and transom, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, calculation of the remaining warranty period will run from the date of its manufacture, not from the date the boat was delivered to the first International retail purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the boat to the first International retail purchaser; Wellcraft will then determine and advise what warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural component limited warranty on the boat will be in effect and it runs from the date of the boat's manufacture, not from the date the boat was delivered to the first International retail purchaser; all other limited warranties are voided. All warranties run concurrently.

This limited warranty may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$200 (US) for boats 21' or less, \$300 (US) for boats more than 21' to 26' or \$500 (US) for boats more than 26', provided that the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Wellcraft. The limited warranty may only be transferred **once**. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second International retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium plated, stainless steel and other metal finishes.
8. Gelcoat fading or discoloration that occurs below or at the water line on the hull.
9. Gelcoat damage resulting from blistering and osmotic blistering; and original gel surface that has been altered in any way, including by repair, by application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, by improper surface preparation for paint or by improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-installation of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; a boat that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.

15. Fit and adjustment of exterior canvas tops, enclosures and weather covers.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

PRE-DELIVERY SERVICE & WARRANTY REGISTRATION

Prior to delivering a new Wellcraft boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Wellcraft warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer extranet

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Wellcraft dealer will carry out the warranty procedures on your behalf. All limited warranty work must be performed at an authorized Wellcraft dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer within the applicable limited warranty period and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft warranty claim form if the claim is not submitted through the Wellcraft Extranet by the dealer.

If sublet warranty repairs are required for any reason, the authorized **Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number).** Wellcraft will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft). Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

Wellcraft
925 Frisbie Street
Cadillac, MI 49601
Telephone: (231) 775-1351

180 FISHERMAN



L.O.A.	18' 0" (5.48 m)
Beam	8' (2.44 m)
Dry weight (approx.)*	2065 lbs. (937 kg)
Fuel capacity (Gas)	51 gal. (193 L)
Max power @ prop	150 HP (111.9 kw)
Shaft length	20" (.51 m)
Deadrise	20°
Draft engine up (approx.)	15" (.38 m)
Draft engine down (approx.)	32" (.81 m)
Transom height	20" (.51 m)
Bridge clearance with o top (approx.)	4' 5" (1.37 m)
Bridge clearance with bimini top (approx.)	6' 7" (2.01 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Fiberglass foam filled stringers - composite transom
- Large console sits 2 comfortably behind windscreen
 - Deep V-hull and wide beam creates a stable fishing platform and soft ride
 - Location for trolling motor
 - Easy access for batteries
- Complies with Coast Guard safety regulations
- 10-Year structural hull warranty - transferable
- NMMA Certified • Liner - fiberglass - diamond pattern skid resistant for easy maintenance

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow and stern eyes - stainless steel
Cleats - stainless steel
Foam flotation - level
Ladder - 2 step swing down
Rod holders (4) - stainless steel flush mount
Rod racks - under gunwale - port/stbd
Rub rail - heavy duty with stainless steel insert
Swim platform - integrated
Thru hulls - stainless steel
Windscreen - plexiglass

COCKPIT

Aft seats with removable cushions - port/stbd
Baitwell - 24 gal.
Beverage holders - stainless steel
Cockpit overboard scuppers
Foot rest - built-in at helm
Forward bow storage
Forward console seat with cushions
Hand holds
Helm seat - reversible with 76 qt. cooler
Raw water washdown

MECHANICAL

Accessory plug - 12V
Bilge pump with auto float switch - 500 GPH
Compass
Horn
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Instrumentation - tachometer, fuel, trim, and speedometer, systems check*
Navigation lights
**Propeller - aluminum
Steering - non-feedback
Steering wheel - stainless steel with power knob
Switches - weather resistant

* Systems check available with specific engines

** Drop shipped and factory rigged engines only. SS prop standard with 150 hp

OPTIONAL EQUIPMENT

Bimini top - premium canvas with stainless steel hardware
Bow cushion
Bow rail - full size
Canada certification
CE certification (for Export only)
Gel scheme, solid hull color
*Hydraulic steering
Lean post seat with backrest and 72 qt. cooler
Pre-rig for Yamaha, Evinrude and Mercury (Recommended HP: 115 hp to

150 hp, check for engine availability)
Trailer - aluminum with brakes
Trailer - galvanized with brakes

* Hydraulic steering std on 150 hp

COLOR OPTIONS

HULLSIDE COLOR OPTION UPGRADE

Impact Red
Deep Blue
Onyx Black
Steel Grey

ENGINE OPTIONS

Evinrude 115 E-TEC
Evinrude 150 E-TEC
Yamaha F115 4-stroke
Yamaha F150 4-stroke

Merc 115 OptiMax
Merc 115 4-stroke
Merc 150 OptiMax
Merc 150 4-stroke

PERFORMANCE DATA - EVINRUDE 115 E-TEC

Top Speed	41.5 MPH @ 5600 RPM
Cruise Speed	29.7 MPH @ 4000 RPM
Cruise Range	260 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

NOTES

180 SPORTSMAN



L.O.A.	18'0" (5.48 m)
Beam	8' (2.44 m)
Dry weight (approx.)*	2085 lbs. (964 kg)
Fuel capacity (Gas)	51 gal. (193 L)
Max power @ prop	150 HP (111.9 kw)
Transom height	20" (.51 m)
Deadrise	20°
Draft: engine up (approx.)	15" (.38 m)
Draft: engine down (approx.)	32" (.81 m)
Bridge clearance with o top (approx.)	4'6" (1.37 m)
Bridge clearance with bimini top (approx.)	6'7" (2.01 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Fiberglass foam filled stringers - composite transom
- Versatile bow rider suited for fishing and watersports
- Ski and knee board storage • Forward & aft seating
- Dash forward hull and wide beam for stable fishing platform and soft ride • Insulated cooler with overboard drain
 - 10-year structural hull warranty - transferable
 - Complies with Coast Guard safety regulations
 - NMMA Certified
- Liner-fiberglass-diamond pattern skid resistant for easy maintenance

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow and stern eyes - stainless steel
Cleats - stainless steel
Foam flotation - level
Ladder - 2 step stainless steel with hand grip
Rod holders (2) - gunwale mounted - stainless steel
Rub rail - heavy duty with stainless steel insert
Storage locker - in floor ventilated
Swim platform - integrated
Thru-hulls - stainless steel
Windshield - tinted with tempered glass - walk thru

COCKPIT

Aft seats - port/stbd with backrests and removable cushions
Beverage holders (6) - stainless steel
Cockpit overboard scuppers
Cooler (56 qt.) - port helm
Courtesy lights
Footrest at helm
Forward bow storage

Fwd seats - port/stbd with backrests and removable cushions
Pedestal seats with slide
Storage - stbd helm

MECHANICAL

Accessory plug - 12V
Bilge pump with automatic float switch - 500 GPH
Circuit breakers - push to reset
Compass
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Instrumentation - tachometer, fuel, speedometer, systems check*, trim
Navigation lights
**Propeller - aluminum
Steering wheel - stainless steel with knob
Switches - weather resistant

* Note: Systems check available with specific engines.

** With dropped shipped and factory rigged engines only. SS prop standard with 150 hp

OPTIONAL EQUIPMENT

Baitwell (52 qt.) - stbd side/
FRP module
Bimini top with boot - premium canvas with stainless steel hardware
Bow cushion with backrest
Bow and cockpit cover - premium canvas
Canada certification
Carpet - snap-in (only available with fishing package or port back-to-back lounge seat)
CE certification
Cockpit bolsters - port/stbd
Gel scheme, solid hull color
*Hydraulic tilt steering
Lounge seat - back-to-back - port with storage (not available with fishing package)
Pre-rig for BRP, Yamaha and Mercury 4-stroke (recommended HP: 115 hp to 150 hp)
Ski pylon
Trailer - Aluminum with brakes
Trailer - Galvanized with brakes

*Fishing Package

Port side pedestal seat with fishbox
Raw water washdown
Rod boxes port/stbd (only available if baitwell option is selected)

*Clarion Stereo System

AM/FM CD player
(2) speakers

* Tilt hydraulic steering forced option with 150 hp and up

** Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Impact Red
Deep Blue
Onyx Black
Steel Grey

ENGINE OPTIONS

Evinrude 115 E-TEC	Merc 115 OptiMax
Evinrude 150 E-TEC	Merc 115 4-stroke
Yamaha F115 4-stroke	Merc 150 OptiMax
Yamaha F150 4-stroke	Merc 150 4-stroke

PERFORMANCE DATA - YAMAHA F115 4-STROKE

Top Speed	40.5 MPH @ 5900 RPM
Cruise Speed	24.2 MPH @ 4000 RPM
Cruise Range	225 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES

NOTES

210 FISHERMAN



L.O.A.	21' (6.4 m)
Beam	8' 6" (2.59 m)
Dry weight (approx.)*	3,654 lbs. (1,362.9 kg)
Fuel capacity (Gas)	103 gal. (389.89 L)
Max power @ prop	250 HP (186.5 kw)
Transom height	25" (.64 m)
Deadrise	19°
Draft: engine up (approx.)	17" (.43 m)
Draft: engine down (approx.)	33" (.84 m)
Bridge clearance with o top (approx.)	6' 1" (1.85 m)
Bridge clearance with T-top (approx.)	8' (2.44 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Foam filled fiberglass stringers - composite transom
- Enclosed head under console
- Fwd/aft & port/stbd fish boxes - aft boxes include macerator with overboard pumpout
- Dedicated electronics flat • Lean post with baitwell features cup holders and rod holders for rigging
- Cockpit design featuring removable aft seats for maximum space
- 10-year structural hull warranty - transferable
- NMMA certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker with hawse pipe
Anchor roller with 8" cleat
Bow and stern eyes - stainless steel
Cleats (6) - 6" pull up
Halve dive platform
Rod holders (6) - stainless steel (4 gunwale, 2 baitwell)
Rub rail - heavy duty with stainless steel insert
Stainless steel rails
Skid resistant surfaces
Thru hulls - stainless steel
Windscreen

COCKPIT

Aft seats - port/stbd removable
Baitwell - 104 qt. with light and overboard drain
Beverage holders - stainless steel (7)
Cockpit courtesy lights - LED
Cockpit overboard scuppers
Glove box at helm
Lean post
Raw water washdown
Rod storage under gunwale - port & stbd
Skid resistant surfaces
Tackle storage trays (2)

MECHANICAL

Accessory plugs - (1) 12V at helm
Accessory switches
Baitwell pump - 700 gph
Battery switch - dual with (2) trays

Breakers at helm - weather resistant
Bilge pump automatic float switch - 800 gph aft
Compass
Full instrumentation - digital
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
Propeller - stainless steel
Remote oil fill (2-stroke)
Steering - hydraulic tilt
Steering wheel - stainless steel with power knob
Submersible rated electrical connections
Switches - weather resistant

HEAD CONSOLE

Access to helm console rigging/storage curtain
Battery storage with tray(s)
Dome light - 12V with switch
Full fiberglass liner - skid resistant with integrated step
Head - self-contained (non-plumbed)
Portlight - opening with screen
Toilet paper holder.

OPTIONAL EQUIPMENT

Australian certification
Backrest - removable for lean post
Baitwell cushion (aft facing cushion)
Bimini top with boot
Bow cushions with backrests
Canada certification
CE certification (for export only)
Cockpit bolsters - port/stbd
Forward console cooler (48 qt.) seat with backrest and cushion
Full bow rail
Fresh water system (pressurized) with transom shower
Gel scheme, solid hull color
Head - self-contained with dockside pump out
Pre-rig for Evinrude, Yamaha and Mercury
Trailer - aluminum with brakes
Trailer - galvanized with brakes

T-top canvas with PFD storage, rod holders, and spreader light
T-Top canvas enclosure (only available with T-top option)
Trim tabs

*Radio System

AM/FM CD player
(4) speakers

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

210 SPORTSMAN



L.O.A.	21' (6.4 m)
Beam	8' 6" (2.59 m)
Dry weight (approx.)*	3,741 lbs. (1,696.9 kg)
Fuel capacity (Gas)	103 gal. (389.89 L)
Water capacity	9 gal. (34.06 L)
Max power @ prop	250 HP (186.5 kw)
Transom height	25" (.64 m)
Deadrise	19°
Draft: engine up (approx.)	17" (.43 m)
Draft: engine down (approx.)	33" (.84 m)
Bridge clearance with o top (approx.)	5' 4" (1.63 m)
Bridge clearance with bimini top (approx.)	7' 2" (2.18 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Foam filled fiberglass stringers - composite transom
- Multi-purpose boat suited for fishing and watersports
 - Enclosed head compartment
 - Below deck ski/wakeboard storage
- Fishboxes in floor with overboard pumpout
 - Dedicated electronics flat
- Bow seating with storage underneath
- Cockpit design featuring removable aft seats for maximum space • 10-year structural hull warranty - transferable • NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker with hawse pipe
 Anchor roller with 8" cleat
 Bow and stern eyes - stainless steel
 Cleats (6) - 6" pull-up
 Halve dive platform
 Rod holders (4) - stainless steel
 Rub rail - heavy duty with stainless steel insert
 Stainless steel rails
 Thru hulls - stainless steel
 Windshield - curved tempered Solex® glass

COCKPIT

Aft seats - port/stbd removable
 Baitwell - 80 qt. with light and overboard drain
 Beverage holders - stainless steel (9)
 Bimini top with boot
 Bow seating - port and stbd with backrests
 Cockpit courtesy lights - LED
 Cockpit overboard scuppers
 Cooler - 48 qt. - portside with cushion (N/A with lounge seat)
 Fishboxes - port/stbd with overboard pumpout
 Glove box - lockable
 Pedestal seats
 Raw water washdown
 Storage bin - stbd aft

Rod storage under gunwale - port & stbd
 Ski/Wake board storage
 Skid resistant surfaces
 Storage - finished compartment under helm
 Tackle storage tray

MECHANICAL

Accessory plugs - (1) 12V at helm
 Accessory switches (2)
 Baitwell pump - 700 gph
 Battery switch - dual with (2) trays
 Breakers at helm - weather resistant
 Bilge pump automatic float switch - 800 gph aft
 Compass
 Full instrumentation - digital
 Horn - flush mount
 Hoses - steel reinforced
 Ignition - safety interlock system with lanyard
 Navigation lights
 Propeller - stainless steel
 Remote oil fill (2-stroke)
 Steering - hydraulic tilt
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Switches - weather resistant

OPTIONAL EQUIPMENT

Australian certification
 Baitwell cushion
 Canada Certification
 CE certification (for export only)
 Cockpit bolsters - port/stbd
 Fresh water system (pressurized) with transom shower and aft sink (port)
 Gel scheme, solid hull color
 Head - self-contained with dockside pump out
 Lounge seat - back-to-back (portside) - comes with 36 qt. cooler (replaces standard ped seat and 48 qt. cooler)
 Pre-rig for Evinrude, Yamaha and Mercury
 Ski pylon
 Trailer - aluminum with brakes
 Trailer - galvanized with brakes
 Trim tabs

*Stereo Radio System

AM/FM CD player
 (4) speakers

* Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Impact Red
Deep Blue
Onyx Black
Steel Grey

ENGINE OPTIONS

Evinrude 150 E-TEC	Yamaha F250 4-stroke
Evinrude 200 E-TEC	Merc 150 OptiMax
Evinrude 250 E-TEC	Merc 150 4-stroke
Yamaha F150 4-stroke	Merc 200 OptiMax
Yamaha F200 4-stroke	Merc 250 OptiMax

PERFORMANCE DATA - YAMAHA F200 4-STROKE

Top Speed	43.7 MPH @ 6150 RPM
Cruise Speed	25.1 MPH @ 4000 RPM
Cruise Range	343 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

NOTES

210 COASTAL[®]



L.O.A.	21' (6.4 m)
Beam	8' 6" (2.59 m)
Dry weight (approx.)*	3575 lbs. (1621.6 kg)
Fuel capacity (Gas)	103 gal. (389.89 L)
Water capacity (option)	5 gal. (18.93 L)
Max power @ prop	250 HP (186 kw)
Transom height	25" (.64 m)
Deadrise	19°
Draft: engine up (approx.)	17" (.43 m)
Draft: engine down (approx.)	33" (.84 m)
Bridge clearance with bimini top (approx.)	7' (2.13 m)
Bridge clearance with hardtop (optional) (approx.)	7' 11" (2.41 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Foam filled fiberglass stringer system with integral high density composite transom • Full FRP cabin liner
- Full height transom and splashwell with maximized cockpit space • Fish boxes - port/stbd with overboard pumpout
 - Lighted baitwell (88 qt.) with overboard drain
 - Storage - port/stbd under helm seats
- Stainless steel gunwale mounted rod holders (4)
- Complies with Coast Guard Safety regulations
- 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker with
hawse pipe
Anchor roller with cleat
Bow and stern eyes -
stainless steel
Cleats (7) - 8" stainless steel
Halve dive platform
Rod holders (4) stainless
steel with cap
Rub rail - heavy duty with
stainless steel insert
Stainless steel rails
Thru hulls - stainless steel
Windshield - curved
tempered Solex[®] glass

COCKPIT

Aft seats - port/stbd removable
Baitwell, 88 qt. with light
and overboard drain
Beverage holders - stainless
steel (6)
Bimini top with boot
Cockpit courtesy lights - LED
Cockpit overboard scuppers
Fish boxes - port/stbd with
overboard pumpout
Pedestal seats adjustable with
cushions port/stbd
Raw water washdown
Rod storage under gunwale
port/stbd
Skid resistant surfaces
Storage bins - port/stbd with
overboard drains

MECHANICAL

Accessory plug - (1) 12V at helm
Accessory switches (2)
Baitwell pump - 700 gph

Battery switch - dual with
(2) trays
Bilge pump with automatic
float switch - 800 GPH aft
Breakers at helm - weather
resistant
Compass
Full instrumentation - digital
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock
system with lanyard
Navigation lights
Propeller - stainless steel
Remote oil fill (2-stroke)
Steering - hydraulic tilt
Steering wheel - stainless
steel with power knob
Submersible rated electrical
connections
Switches - weather resistant

CABIN

Battery storage with tray(s)
Beverage holders - stainless
steel (2)
Bi-fold locking entry door
Deck hatch - with screen
Decor pillows
Dome light - 12V with switch
Full fiberglass liner - skid
resistant with integrated step
Head - self-contained
(non-plumbed)
Rope locker access hatch
V-berth with storage and
cushions

OPTIONAL EQUIPMENT

Baitwell - port (replaces port storage)
Canada certification
CE certification (for export only)
Cockpit bolsters - port/stbd
Dinette table with V-berth filler
cushion
Dockside pumpout for
self-contained head
Galley package - pressurized
fresh water (cold) with sink
in cabin and transom shower
Gel scheme, solid hull color
Hardtop - FRP with (6) rod
holders and spreader light
Port/stbd jump seat cushions
(behind pedestal seats)

Pre-rig for Evinrude, Yamaha
4-stroke and Mercury
Stove - butane - portable (N/A for
CE boats)
Tackle center/rigging station
with raw water faucet
(replaces aft baitwell)
Trailer - aluminum with brakes
Trailer - galvanized with brakes
Trim tabs
Windshield wiper - stbd

***Stereo Radio System**
AM/FM CD player with remote
at helm
(4) speakers

OPTIONAL EQUIPMENT cont.

***Canvas Packages
for Bimini Top**

Side and drop curtains with windshield connector

***Canvas Packages
for Hard Top**

Side and drop curtains with windshield connector

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

- Impact Red
- Deep Blue
- Onyx Black
- Steel Grey

Cabin Fabrics

- Navy/Tan

ENGINE OPTIONS

- Evinrude 150 E-TEC
- Evinrude 200 E-TEC
- Evinrude 250 E-TEC
- Yamaha F150 4-stroke
- Yamaha F200 4-stroke

- Yamaha F250 4-stroke
- Merc 150 OptiMax
- Merc 150 4-stroke
- Merc 200 OptiMax
- Merc 250 OptiMax

Specifications, options, and equipment are subject to change without notice.

PERFORMANCE DATA - YAMAHA F150 4-STROKE

Top Speed	39.2 MPH @ 5950 RPM
Cruise Speed	23.9 MPH @ 4000 RPM
Cruise Range	347 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

232 FISHERMAN



L.O.A.	22' 4" (6.81 m)
Beam	8' 8" (2.64 m)
Dry weight (approx.)*	3573 lbs. (1621 kg)
Fuel capacity (Gas)	116 gal. (439.11 L)
Water capacity (option)	8 gal. (30.28 L)
Max power @ prop	300 HP (224 kw)
Shaft length: single	25" (.64 m)
Deadrise	20°
Draft: engine up (approx.)	15" (.38 m)
Draft: engine down (approx.)	32" (.81 m)
Bridge clearance with o top (approx.)	6' 0" (1.83 m)
Bridge clearance with T-Top (approx.)	8' 4" (2.53 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom - Foam filled, fiberglass, box section stringer with integral high density composite transom
- Recessed stainless steel grab rails - port/stbd bow
- Full FRP head console liner with toilet paper holder and battery access - Fish boxes (2) forward 155 qt. with overboard drain and sealed lids
 - Rod storage under gunwale port and starboard
 - Stainless steel gunwale-mounted rod holders (2)
- Fiberglass cockpit with diamond pattern skid resistant surfaces - All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker
with hawse pipe
Anchor roller with cleat
Bow and stern eyes - stainless steel
Cleats (7) 8" stainless steel
Gunnel caps port/stbd with integrated powder coated side grab rails
Powder coated recessed bow rails
Rod holders (4) stainless steel with cap
Rub Rail - heavy duty with stainless steel insert
Swim platform - integrated
Swim ladder - flip down
Thru hulls - stainless steel
Transom full height with door
Windscreen - curved plexiglass

COCKPIT

Baitwell - 84 qt. with light and overboard drain
Beverage holders (6) - stainless steel
Cockpit courtesy lights
Cockpit overboard scuppers
Fish boxes (2) 155qt. - forward with overboard drain and sealed lids
Fold away rear bench seat with cushion and aft bolster
Glove box at helm
Hand holds recessed port/stbd powdercoated
Leaning post seat powder coated with (2) rod holders and (2) drink holders
Raw water washdown
Rod storage under gunwale port/stbd
Skid resistant surfaces
Tackle storage boxes (2) with removable trays (4)
T-top, powder coated with (4) rod holders, outrigger plates, spreader light, and PFD storage

MECHANICAL

Accessory plug - (1) 12V at helm
Accessory switches (2)
Baitwell pump - 700 gph
Battery switch - dual with (2) trays
Bilge pump automatic float switch 800 gph aft
Breakers at helm - weather resistant
Compass
Full instrumentation - digital
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
Propeller - stainless steel
Remote oil fill (2-stroke)
Steering - hydraulic tilt
Steering wheel - stainless steel with power knob
Submersible rated electrical connections
Switches - weather resistant

HEAD CONSOLE

Battery storage with tray(s) below deck
Dome light - 12V
Full fiberglass liner - skid resistant with integrated step
Full access to console rigging
Head console lockable entry door - full size
Head - self-contained (nonplumbed)
Port light opening with screen
Toilet paper holder

OPTIONAL EQUIPMENT

Bow cushions - port/stbd
 Canada certification
 Cooler - 72 qt. (under lean post - removable)
 Electronics box (for T-top)
 Forward console cooler seat (72 qt.) with seat back and bottom cushions
 Gel scheme, solid hull color
 Heavy-duty dive ladder
 Outriggers - Taco Grand Slam - 15' poles
 Pressurized fresh water system with transom shower
 Pre-rig for Evinrude, Mercury and Yamaha (Recommended hp: 150 to 300 hp, check for engine availability)
 Trailer - aluminum with brakes
 Trailer - galvanized with brakes
 Trim Tabs - requires heavy duty dive ladder (replaces standard swim ladder)
 T-top canvas enclosure

***Cockpit Bolster Package**
 Aft cockpit bolsters - port/stbd
 Forward bow cockpit bolsters port/stbd

***Stereo Radio System**
 AM/FM CD player
 (4) speakers

***Garmin Electronics Package w/7" Color Display**
 Includes GPS, Chartplotter/ Fishfinder & VHF Radio

* Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade
 Impact Red
 Deep Blue
 Onyx Black
 Steel Grey

ENGINE OPTIONS

Merc 200 Verado 4-stroke	Yamaha F200 4-stroke
Merc 250 Verado 4-stroke	Yamaha F250 4-stroke
Merc 300 Verado 4-stroke	Yamaha F300 4-stroke
Evinrude 200 E-TEC	
Evinrude 250 E-TEC	
Evinrude 300 E-TEC	

PERFORMANCE DATA - YAMAHA F250 4-STROKE

Top Speed	49.3 MPH @ 6000 RPM
Cruise Speed	32.3 MPH @ 4000 RPM
Cruise Range	405 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

232 COASTAL®



L.O.A.	22' 4" (6.8 m)
Beam	8' 8" (2.64 m)
Dry weight (approx.)*	3600 lbs. (1633 kg)
Fuel capacity (Gas)	116 gal. (439.11 L)
Water capacity	8 gal. (30.28 L)
Max power @ prop	300 HP (224 kw)
Shaft length: Single	25" (.64 m)
Deadrise	20°
Draft: engine up (approx.)	15" (.38 m)
Draft: engine down (approx.)	32" (.81 m)
Bridge clearance with o top (approx.)	6' 0" (1.83 m)
Bridge clearance with bimini top (opt) (approx.)	8' 0" (2.43 m)
Bridge clearance with hardtop (approx.)	8' 1" (2.43 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam filled, fiberglass, box section stringer with integral high density composite transom
 - Recessed stainless grab rails - port/stbd
- Full FRP cabin liner with diamond pattern skid resistant surfaces • Fish box stbd below helm seat 90 qt. with overboard drain • Dry storage port below companion seat 90 qt.
 - Lighted baitwell 84 qt. with overboard drains
 - Rod storage under gunwale port and starboard
 - Stainless steel gunwale-mounted rod holders (2) • Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted • Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker
with hawse pipe
Anchor roller with cleat
Bow and stern eyes -
stainless steel
Cleats (7) - 8" stainless steel
Gunnel caps - port/stbd with
integrated powder coated side
grab rails
Rod holders (2) stainless
steel with cap
Rub rail - heavy duty with
stainless steel insert
Stainless steel bow rails
Swim platform - integrated
Swim ladder - flip down
Thru hulls - stainless steel
Transom full height with door
Windshield - curved
tempered Solex® glass

COCKPIT

Baitwell - 84 qt. with light
and overboard drain
Beverage holders - stainless
steel
Cockpit courtesy lights
Cockpit overboard scuppers
Dry storage (1) 90 qt. - port
mid-ship with sealed lid
and drain
Fishbox (1) 90 qt. stbd -
mid-ship with overboard
drain and sealed lid
Fold away rear bench seat
with cushion and aft bolster
Hardtop FRP w/powder coated
rails, (4) rod holders, electronics
flat, spreader light, and over-
head incandescent lights
Pedestal seats adjustable with
cushions port/stbd
Raw water washdown
Rod storage under gunwale
port/stbd
Skid resistant surfaces

MECHANICAL

Accessory plug - 12V at helm
Accessory switches (2)
Baitwell pump - 700 gph
Battery switch - dual with
(2) trays
Breakers at helm - weather
resistant
Bilge pump automatic float
switch 800 gph aft
Compass
Full instrumentation - digital
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock
system with lanyard
Navigation lights
**Propeller - stainless steel
Remote oil fill (2-stroke)
Steering - hydraulic tilt
Steering wheel - stainless
steel with power knob
Submersible rated electrical
connections
Switches - weather resistant
Windshield wipers port/stbd

CABIN

Battery storage with tray(s)
Bi-fold locking entry door
Carbon monoxide detector
Deck hatch - with screen
Decor pillows
Galley with sink, storage, and
pressurized fresh water
Dome light - 12V with switch
Full fiberglass liner - skid
resistant with integrated
step
Hatch access to helm
console rigging
Head - self-contained
(non-plumbed)
Toilet paper holder
Rope locker access hatch
V-berth with storage
V-berth cushions

** Drop shipped and factory rigged
engines only.

OPTIONAL EQUIPMENT

Bimini top with boot - premium canvas with stainless steel hardware (replaces std hardtop)
Canada certification
Cockpit bolsters - port/stbd
Dinette table with V-Berth filler cushion
Dockside pumpout for self-contained head
Gel scheme, solid hull color
Heavy-duty dive ladder
Pre-rig for Evinrude, Mercury and Yamaha (Recommended hp: 150 to 300 hp, check for engine availability)
Port/stbd jump seat cushions
Stove - butane
Trailer - aluminum with brakes
Trailer - galvanized with brakes
Transom shower - fresh water
Trim Tabs - requires heavy-duty dive ladder (replaces standard swim ladder)

***Stereo Radio System**
AM/FM CD player
with remote at helm
(4) Speakers

***Canvas Package for Bimini Top**
Side and drop curtains with windshield connector

***Canvas Package for Hard Top**
Side and drop curtains with windshield connector

***Enclosed Hard Top Package**
Fiberglass hard top with (4) rod holders
Defroster
Full windshield with opening vents (replaces std windshield)
Isinglass aft closure curtain
Overhead dome lights (2)
Spreader light

***Garmin Electronics Package w/7" Color Display**
Includes GPS, Chartplotter/ Fishfinder & VHF Radio

***Garmin Radar 4kw 18" High Definition Dome**

* Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade
Impact Red
Deep Blue
Onyx Black
Steel Grey

Cabin Fabric Selection
Navy/Tan

ENGINE OPTIONS

Merc 200 Verado 4-stroke
Merc 250 Verado 4-stroke
Evinrude 200 E-TEC

Evinrude 250 E-TEC
Yamaha F200 4-stroke
Yamaha F250 4-stroke

PERFORMANCE DATA - YAMAHA F200 4-STROKE

Top Speed	40 MPH @ 6100 RPM
Cruise Speed	28.5 MPH @ 4500 RPM
Cruise Range	350 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

252 FISHERMAN



L.O.A. with pulpit	24' 4" (7.42 m)
Beam	8' 9" (2.66 m)
Dry weight (approx.)*	4680 lbs. (2123 kg)
Fuel capacity (Gas)	170 gal. (643.52 L)
Max power @ prop	450 HP (336 kw)
Shaft length: single	30" (.76 m)
Shaft length: twin	25" (.64 m)
Water capacity (option)	8 gal. (30 L)
Deadrise	20°
Draft: up (approx.)	16" (.41 m)
Draft: down (approx.)	29.5" (.75 m)
Bridge clearance with o top	6' 8" (2.03 m)
Bridge clearance with T-top (approx.)	8' 2" (2.49 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam filled, fiberglass, box section stringer with integral high density composite transom
 - Recessed stainless grab rails - port/stbd bow
- Full FRP cabin console liner with additional port/stbd below deck storage • Fish boxes (2) forward 180 qt. with overboard drain and sealed lids
 - Lighted baitwell 84 qt. with overboard drain
 - Rod storage under gunwale port and starboard
 - Stainless steel gunwale-mounted rod holders (4)
- Fiberglass cockpit with diamond pattern skid resistant surfaces
 - All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker
with hawse pipe
Anchor roller with cleat
Bow and stern eyes - stainless steel
Cleats (7) - 8" stainless steel
Gunnel caps - port/stbd with integrated powder coated side grab rails
Powder coated recessed bow rails
Rod holders (4) stainless steel with cap
Rub rail - heavy duty with stainless steel insert
Swim platform - integrated with boarding ladder
Thru hulls - stainless steel
Transom full height with door
Windscreen - curved plexiglass

COCKPIT

Aft cockpit bolsters - port/stbd
Baitwell - 84 qt. with light and overboard drain
Beverage holders (6) - stainless steel
Cockpit courtesy lights
Cockpit overboard scuppers - stainless steel
Cooler - 94 qt. removable
Entry light switch at transom
Fish boxes (2) 180 qt. - forward with overboard drain and sealed lids
Fish boxes (2) - aft with overboard pump out
Fold away rear bench seat with cushion and aft bolster
Hand holds recessed port/stbd stainless
Leaning post seat, powder coated - convert from leaning to sitting with (2) rod holders, (2) cup holders and poly prep station
Raw water wash down
Rod storage under gunwale port/stbd
Skid resistant surfaces
Storage below forward deck - lockable
Storage for fire extinguisher - stbd
Tackle storage boxes (2) with removable trays (4)
T-top, powder coated with (4) rod holders, outrigger plates, spreader light, and PFD storage

MECHANICAL

Accessory plug - 12V at helm (1)
Baitwell pump 700 gph
Battery parallel with remote switch at helm
Battery switch - dual with (2) trays for single engine; (3) trays for twin engines
Bilge pump with auto float switch, 1500 gph aft
Compass
Full instrumentation - digital
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
Powered buss bar and space at helm for electronics
*Propeller - stainless steel
Remote oil fill (2-stroke)
Steering - tilt hydraulic
Steering wheel - stainless steel with power knob
Submersible rated electrical connections
Switches - sealed
Trim Tabs

HEAD CONSOLE

Battery storage with tray(s) below deck
Dome light with switch - 12V
Full access to console rigging
Full fiberglass liner - skid resistant with integrated step
Head console lockable entry door - full size
Head - self-contained (non-plumbed)
Port light opening with screen
Storage - outboard - below deck - port/stbd

** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Bow cushion port/stbd
Canada certification
CE certification (for export only)
Electronics box (for T-Top)
Forward console cooler seat
(94 qt.) with seat back and
bottom cushions
Gel scheme, solid hull color
Head - SeaLand Traveler -
porcelain with 9 gal. holding
tank and dockside pumpout,
pressurized fresh water
system and transom shower
Heavy-duty dive ladder
Outriggers - Taco Grand Slam
- 15' poles
Overboard discharge for
SeaLand Traveler head
Pre-rig for Evinrude,
Mercury and Yamaha
(Recommended hp: 225 to 450 hp,
check for engine availability)
Pressurized fresh water
system with transom shower

Tilt out storage bins mid
cockpit port/stbd
Trailer - aluminum with brakes
Trailer - galvanized with brakes
T-top canvas enclosure

*Cockpit Bolster Package

Midship bolsters - port/stbd
Forward bow bolsters port/stbd

*Stereo Radio System

AM/FM CD player
(4) speakers

*Garmin Electronics Package w/7" Color Display

Includes GPS, Chartplotter/
Fishfinder & VHF Radio

* Note: Items in Packages cannot be
ordered individually unless listed as
stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Impact Red
Deep Blue
Onyx Black
Steel Grey

ENGINE OPTIONS

Sgl Merc 250 Verado 4-stroke
Sgl Merc 300 Verado 4-stroke
Tw Merc 150 OptiMax
Tw Merc 200 Optimax
Tw Merc 225 Optimax
Sgl Evinrude 250 E-TEC
Tw Evinrude 150 E-TEC

Tw Evinrude 200 E-TEC
Tw Evinrude 200 E-TEC
Sgl Yamaha F250 4-stroke
Sgl Yamaha F350 4-stroke
Tw Yamaha F200 4-stroke
Tw Yamaha F225 4-stroke
Tw Yamaha F150 4-stroke

PERFORMANCE DATA - YAMAHA F250 4-STROKE

Top Speed 45 MPH @ 5800 RPM
Cruise Speed 30.1 MPH @ 4000 RPM
Cruise Range 540 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

252 COASTAL®



L.O.A.	24' 4" (7.42 m)
Beam	8' 9" (2.66 m)
Dry weight (approx.)*	4360 lbs. (1978 kg)
Fuel capacity (Gas)	133 gal. (503.46 L)
Water capacity	9 gal. (34 L)
Max power @ prop	400 HP (298 kw)
Shaft length: single	30" (.76 m)
Shaft length: twin	25" (.64 m)
Deadrise	20°
Draft: up (approx.)	16" (.40 m)
Draft: down (approx.)	29.5" (.75 m)
Bridge clearance with o top (approx.)	6' (1.83 m)
Bridge clearance with bimini top (approx.)	8' (2.43 m)
Bridge clearance with hardtop (approx.)	8' 2" (2.49 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam-filled, fiberglass, box section stringer with integral high density composite transom
- Full fiberglass cabin liner with stretched soft touch headliner
 - Fishbox portside 128 qt. with overboard drain
- Integrated cooler - stbd side - 44 qt. with overboard drain
 - Lighted baitwell 84 qt. with overboard drain
- Dry storage (92 qt.) under helm seat with room for safety gear
 - Rod storage under gunwale port and starboard
 - Stainless steel gunwale - mounted rod holders (4)
- Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted • Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker
with hawse pipe
Anchor roller with cleat
Bow and stern eyes - stainless steel
Cleats (6) 8" stainless steel
Gunnel caps - with integrated powder coated side grabrails
Integrated steps to forward deck - skid resistant
Rod holders (4) - stainless steel with cap
Rub rail with stainless steel insert
Stainless steel bow rail
Swim platform - integrated
Swim ladder - flip down
Thru hulls - stainless steel
Transom full height with door
Windshield - curved tempered Solex® glass

COCKPIT

Baitwell - 84 qt. with light and overboard drain
Beverage holders (5) - stainless steel
Cockpit bolsters - port/stbd
Cockpit courtesy lights
Cockpit overboard scuppers
Cooler - 44 qt. integrated stbd side with overboard drain
Fishbox - 128 qt. portside with overboard drain
Fishboxes (2) - aft with overboard pump out
Fold away rear bench seat with cushion and aft bolster
Hardtop FRP w/ powder coated rails, (4) rod holders, electronics flat, spreader light, and overhead incandescent lights
Pedestal seats, adjustable with cushions port/stbd
Port/stbd jump seat cushions with backrest
Skid resistant surfaces
Storage under helm seat 92 qt. (dry)
Tackle storage box with removable trays

MECHANICAL

Accessory plug - 12V at helm
Baitwell pump - 700 gph
Battery parallel with remote switch at helm
Battery switch - dual with (2) trays for single engine; (3) trays for twin engines
Bilge pumps with automatic float switches 500 gph forward; 1500 gph aft
Breakers - weather resistant
Compass
Full instrumentation - digital
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
Powered buss bar & space at helm for electronics
**Propeller - stainless steel
Raw water washdown
Remote oil fill (2-stroke)
Steering - tilt hydraulic
Steering wheel - stainless steel with power knob
Submersible rated electrical connections
Switches - sealed
Trim tabs
Windshield wipers - port/stbd

CABIN

Battery storage with tray(s)
Bi-fold locking entry door
Deck hatch - oversized with screen
Dinette table with filler cushion and dedicated storage
Decor pillows
Galley with sink, storage bin, and pressurized fresh water
Head - self-contained, covered
Port lights - (2) opening with screen
Rope locker access hatch
V-berth with cushions and storage

** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Battery charger - 30 amp
with 50' shore power cord
(N/A when overnight package is
selected)

Canada certification

CE Certification (for export only)

Cockpit/cabin carpet - snap-in

Gel scheme, solid hull color

Overboard discharge for

VacuFlush head only

Pre-rig for Evinrude,
Mercury and Yamaha
(Recommended HP 250 to
400hp, check for engine availability)

Stove - butane (not available for
CE boats)

Trailer - aluminum with brakes

Trailer - galvanized with brakes

220V option (only applicable when
Overnight Pkg. is selected)

VacuFlush head with holding
tank (10 gal) and dockside
pumpout

Windlass with 150' rope/chain
combo, electric up/down
switches, lanyard and
anchor

*Canvas Package for Hard Top

Side and drop curtains with
windshield connector

*Dive Package

Dive ladder - heavy-duty -
removable

Transom shower — fresh water

*Stereo Radio System

AM/FM CD player
(4) speakers

Digital remote control at helm

*Enclosed Hardtop Package

Fiberglass hardtop with
(4) rod holders

Defroster

Full windshield with opening
vents (replaces standard windshield)

Isinglass aft closure curtain

Overhead dome lights (2)

Spreader light

*Garmin Electronics Package w/7" Color Display

Includes GPS, Chartplotter/
Fishfinder & VHF Radio

*Garmin Radar 4kw 18" High Definition Dome

* Note: Items in Packages cannot be
ordered individually unless listed as
stand-alone.

PERFORMANCE DATA - TW YAMAHA 150 4-STROKE

Top Speed	51.7 MPH @ 6000 RPM
Cruise Speed	34 MPH @ 4000 RPM
Cruise Range	353 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

COLOR OPTIONS

Hullside Color Option Upgrade

Impact Red
Deep Blue
Onyx Black
Steel Grey

Interior Fabric Selection

Navy/Tan

ENGINE OPTIONS

Sgl Merc 250 Verado 4-stroke
Sgl Merc 300 Verado 4-stroke
Tw Merc 150 OptiMax
Tw Merc 150 4-stroke
Sgl Evinrude 250 E-TEC

Tw Evinrude 150 E-TEC
Sgl Yamaha F250 4-stroke
Sgl Yamaha F300 4-stroke
Tw Yamaha F150 4-stroke

290 COASTAL®



L.O.A. with pulpit	30' 2" (9.19 m)
Hull length	27' 10" (8.48 m)
Beam	10' 5" (3.2 m)
Dry weight (approx.)*	8735 lbs. (3962 kg)
Fuel capacity (Gas)	210 gal. (794.94 L)
Water capacity	42 gal. (159 L)
Holding tank capacity	11 gal. (42 L)
Max power @ prop	600 HP (447.4 kw)
Shaft length	25" (.64 m)
Deadrise	18°
Draft: up (approx.)	22" (.56 m)
Draft: down (approx.)	33" (.84 m)
Bridge clearance with o top (approx.)	7' 3" (2.2 m)
Bridge clearance with bimini top (approx.)	8' 3" (2.51 m)
Bridge clearance with hardtop (approx.)	9' 0" (2.74 m)
Sleeping capacity	6
Headroom	6' 2" (1.88 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom with door • Modular port/stbd helm seating with storage • Cruiser style cabin amenities and functional for extended fishing trips • Kodiak Pro Flow 42 gal baitwell, light, over flow drain, clear plex bait lid and positive sealing latch • Three integrated steps on helm for easy access to forward deck
 - Integrated swim platform with boarding ladder
- Stainless steel deck hardware - thru-bolted • Port/stbd settee converts to twin pilot berths • Helm provides plenty space for electronics • Insulated fish boxes with overboard pumpout
- Complies with Coast Guard safety regulations • NMMA Yacht Certification • 10-year structural hull warranty - transferable

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow and stern eyes - stainless steel
Bow pulpit with roller and anchor chute
Cleats - stainless steel
Deck hatch with screen
Hardtop FRP, with finished liner, spreader light, rod holders, full canvas enclosure
Heavy-duty rub rail with stainless steel insert
Heavy-duty dive ladder - removable
Port lights - opening with screens, stainless steel trim rings (4)
Rod holders - stainless steel, flush mount no cap (4)
Rod racks - under gunwale - port/stbd
Stainless steel rails
Stainless steel thru hulls
Swim platform - integrated
Transom - full height with transom door
Windshield - tempered glass - with walk-thru

COCKPIT

Aft seat - three person fold-out
Beverage holders (6) - stainless steel
Cockpit bolsters
Cockpit overboard scuppers
Courtesy lights
Entry light switch at transom
Fiberglass molded steps on helm (3) for easy access to foredeck
Fish boxes (2) - with lift assist and overboard pumpout
Helm seating module: flip up seat/bolster with positive latch, large dry storage with convenient side access door, beverage holders (4), fire extinguisher storage, side coaming pad, covered sink with pressurized fresh water (cold only), latching lid. Baitwell 42 gal Kodiak Pro Flow with clear bait lid and positive sealing latch, cutting board cover and knife/pliers holder
Port seating module: wrap around lounge seating with coaming pad, hand holds stainless steel, (2) beverage holders and large dry storage below accessible through forward door; three drawer tackle locker with additional storage bin; aft facing large storage box with machinery space and access below, gas spring lift assist on storage box lid
Raw water washdown

CABIN

AC/DC panel
Cabin door - lockable
Carpet - snap-in
Decor pillows
Dinette table
Forward V-berth
Hanging locker
Liner - full fiberglass
Lighting - direct/indirect
Mid-cabin
Settee - port/stbd converts to twin pilot berth
Stretched vinyl headliner
Woodgrain cabinets

Stereo Radio System

AM/FM CD player
(4) speakers, digital remote control at helm

GALLEY

Countertop - Granulon™ with storage below
Duplex outlet - GFI protected
Microwave oven
Overhead storage
Refrigerator - dual voltage, 110V with 15 amp converter - GFI protected
Sink with pressurized fresh water system
Stove - single burner alcohol/electric

HEAD

Duplex outlet - GFI protected
Full fiberglass head compartment with ventilation
Hand held shower
Molded fiberglass sink and vanity with Granulon™ countertop and dry storage
SeaLand™ VacuFlush head with holding tank

MECHANICAL

Accessory plug - 12V
Battery switches with voltage sensitive relays
Bilge pumps with auto float switches - forward 500 gph aft 1500 gph
Compass
Detector - carbon monoxide
Dockside water connection
Fuel filters/water separators
Horn
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Instrumentation - digital
Navigation lights
Oil tank storage with remote oil fill (2-stroke only)
Pressurized fresh water system with transom shower - hot/cold

STANDARD EQUIPMENT cont.

*Propellers - stainless steel
 Remote seacock actuators
 Shore power - 30 amp with
 (2) 50' shore power cords
 Steering - tilt hydraulic with
 dual ram (for BRP and Yamaha)

Steering wheel - stainless
 steel with power knob
 Trim tabs
 Water heater - 6 gal.
 Windshield wipers (2)

* Drop shipped and factory rigged engines
 only

OPTIONAL EQUIPMENT

Air conditioner 7,000 BTU
 with heat
 Auxiliary fuel tank (70 gal)
 (Generator cannot be ordered
 with this option)

Cabin floor - teak and holly
 wood laminate
 Canada certification
 Carpet - snap-in cockpit
 CE certification (for export only)
 Cockpit cover for hardtop
 Dive tank storage racks
 Gel scheme, solid hull color
 Generator 5.0 kw gas with
 sound shield, insulated aft
 bulkhead and galvanic
 isolator with status
 monitoring (N/A with auxiliary
 fuel tank)

Hardtop delete
 LCD TV/DVD - includes
 TV/telephone inlet and
 antenna (N/A with CE or 220V)
 Outriggers - Taco Grand Slam
 - 15' poles
 Overboard discharge for head
 Power assisted steering (available
 for Evinrude and Yamaha engines)
 Pre-rig for Merc, Yamaha,
 and Evinrude (Recommended
 hp: Tw 250 hp, check
 for engine availability)

Rod holders - gold tone (4) -
 aft transom mounted
 220V option
 Windshield wiper washer
 system
 Windlass with 300' rope/chain
 combo and electric up/down
 switches, lanyard and anchor

*Preferred Option Package

TV/Telephone inlet with
 antenna
 Remote spotlight

***Stereo Upgrade Package**
 Cockpit subwoofer, power
 amp, 6 disc CD changer,
 (2) additional speakers, and
 cabin crossover amplifier

***Cockpit Seating Package**
 Stbd baitwell and portside
 storage box cushions
 (removable)

***Raymarine E127
 Electronics Package
 (2) 12.1" Color Displays**
 (Units are radar ready - additional
 components required)

Includes chartplotter,
 HDFI fishfinder and High
 Performance 1 kw in-hull
 transducer, SeaTalk
 networking and video/
 instrumentation integration
 capabilities
 VHF Radio - Ray 54

**Raymarine Radar
 4 kw Radome**

**Raymarine Radar
 4 kw Open Array**

* Note: Items in Packages cannot be
 ordered individually unless listed as
 stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Impact Red
 Deep Blue
 Onyx Black
 Steel Grey

Interior Fabric Selection

Navy/Tan

ENGINE OPTIONS

Tw Merc 250 Verado 4-stroke
 Tw Evinrude 250 E-TEC
 Tw Yamaha F250 4-stroke

PERFORMANCE DATA - TW YAMAHA F250 4-STROKE

Top Speed	51.8 MPH @ 5800 RPM
Cruise Speed	34.6 MPH @ 4000 RPM
Cruise Range	360 Miles

Performance and fuel consumption will vary and be affected by water
 and weather conditions, altitude, load and condition of boat, engine
 and propeller(s). Cruise range based on 95% of fuel capacity. All data is
 illustrative and is not warranted. This test was conducted with clean
 bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without
 notice.

NOTES

340 COASTAL®



L.O.A.	34' 1" (10.38 m)
Beam	11' 9" (3.58 m)
Dry weight (with engine) (approx.)*	13500 lbs. (5035.5 kg)
Fuel capacity	366 gal. (1,385.46 L)
Water capacity	56 gal. (211.96 L)
Holding tank capacity	10 gal. (37.8 L)
Max power @ prop	750 HP (559.5 kw)
Shaft Length: twin	25" (.63 m)
Shaft Length: triple	25" Outer (.63 m) 30" Center (.76 m)
Deadrise	20°
Draft: up (approx.)	20" (.51 m)
Draft: down (approx.)	32" (.81 m)
Bridge clearance with hardtop (approx.)	10' 2" (3.09 m)
Sleeping Capacity	6

* Dry weight may vary with engine and options installed.

KEY SALES FEATURES

- Foam stringers with composite transom • Impressive standard equipment includes - generator, air conditioner, and windlass
- Easy bilge/equipment access with hinged aft seat assembly
- Large windshield for weather protection with walkthru to foredeck
 - Port/stbd pilot berths for additional sleeping capacity
- Full featured galley includes stainless sink, Corian® countertop, 4.6 cu. ft. stainless refrigerator, coffee maker, and microwave
- Large aft cabin with table converts to sleep two adults comfortably
 - Fully featured wetbar • Lockable rod storage on hardtop
 - 10-year structural hull warranty - transferable
 - NMMA yacht certification

STANDARD EQUIPMENT

HULL & DECK

Anchor roller and additional bow anchor storage
Bow and stern eyes - stainless steel
Cleats - stainless steel (7) 10"
Deck hatches (3) - opening with screen and shade (1) large; (2) small
Hardtop - FRP, spreader lights, LED overhead lights, rod holders (6) lockable rod storage (4), overhead hatches (2), and remote spotlight
Heavy-duty dive ladder - removable
Heavy-duty rub rail with stainless steel insert
Port lights - (3) opening with screens
Rod holders - gunwale mount - stainless steel
Rod racks - under gunwale - port/stbd
Rope locker
Stainless steel rails
Swim platform - integrated
Transom door
Windlass with 300' rope/chain combo, electric up/down switches, lanyard and anchor
Windshield - curved tempered Solex® glass with walk-thru door

COCKPIT

Air conditioning vent at helm (generated from cabin unit)
Aft access hatch to mechanical equipment
Aft seat - fold out
Baitstation - 50 gallon
Baitwell with remote drain valve, fresh and raw water pull-out sprayer, and tackle storage unit
Beverage holders - stainless steel
Cockpit bolsters - port/stbd/aft
Cockpit overboard scuppers
Courtesy lights
Entry light switch at transom
Fire extinguisher storage box
Fish boxes (2) - with lift assist and dedicated macerator pumps
Glove box at helm - lockable
Helm seat - electric, double wide with flip up bolster
Port side L-lounge seat with storage below
Pressurized fresh and raw water washdowns
Tackle storage - aft with cutting board
Wet bar - including storage, stainless sink, Corian® counter top and 110V outlet

CABIN

Air conditioner - 12,000 BTU reverse cycle with heat
Cabin door - lockable
Carbon monoxide detector
Designer fabrics
Dinette table - cherry wood with compass rose inlay converts to full V-berth with electric pedestal
Forward V-berth with cushions and backrests that convert to twin pilot berths
Hanging locker - cedar lined
Lighting - 12V
Liner - full fiberglass
Mid-cabin berth - with table and privacy curtain
Storage compartments under forward berth with teak faces
Teak and holly wood laminate flooring
Trash receptacle
Wood grain cabinets
Premium Stereo Radio System
AM/FM CD player, digital remote and MP3 jack at helm
JL Marine audio speakers - (4) cockpit, (2) cabin
JL Marine 10" cockpit subwoofer
JL Marine 6 channel amplifier
Digital remote control at helm with display

GALLEY

Coffeemaker
Counter tops - Corian® with stainless steel sink and keeper rails
110V Duplex outlet - GFI protected
Microwave
Refrigerator - stainless steel 4.6 cu. ft. - dual voltage
Storage cabinets
Stove - single burner electric

HEAD

Automatic shower sump pump
110V duplex outlet - GFI protected
Slider bar shower head with separate mixer - hot/cold water
Corian® counter top and storage below with toilet paper holder
Mirror - full length
SeaLand VacuFlush head with 10 gal. holding tank, level monitor, and dockside pumpout
Storage cabinets with mirrored doors

STANDARD EQUIPMENT cont.

MECHANICAL

Accessory plugs - 12V (2)
Battery switches - remote at helm
Bilge pumps with auto float switches 800 gph fwd; (2) 1500 gph aft
Compass
Dockside water connection
Generator - 7.3 kw gas with galvanic isolator with status monitoring
Horn - dual trumpet
Ignition - safety interlock system with lanyard
Instrumentation - digital
Navigation lights
Oil tank storage with remote fill (2-stroke only)

Power at helm for electronics
Pressurized fresh water system with hot/cold transom shower
**Propellers - stainless steel
Shore power - dual 30 amp with (2) 50' cords
Steering - hydraulic with power assist and tilt wheel
Steering wheel - aluminum with power knob
Trim tabs with indicators
Water heater - tankless with continuous supply
Windshield wipers with washer system
** Drop shipped and factory rigged at engines only

OPTIONAL EQUIPMENT

Australian certification
Bow thruster
Bow sunpad
Cabin carpet - snap-in
Canada certification
CE certification
Cockpit carpet - snap-in - bridge deck area
Cockpit table
220V (required for Australian and CE certification)
Ice maker - cockpit
Gel scheme, solid hull color
Grill - 110V stainless steel (std baitwell reduced to 34 gallons)
LCD TV/DVD - Sony 26"
Hi-Def T V with antenna and dockside TV/Telephone cords
Outriggers - Taco Grand Slam - 15' poles
Overboard discharge for VacuFlush head
Pre-rig for Mercury Verado, Yamaha 4-stroke and Evinrude
Refrigerator - cockpit - stainless steel pull out
Seats - cockpit port/stbd under gunwale fold out (replaces rod storage)

*Canvas Package for Hardtop

Side and drop curtains with windshield connector

*Raymarine E127

Electronics Package

(2) 12.1" Color Displays

(Units are radar ready - additional components required)

Includes chartplotter, HDFI fishfinder, high performance 1 kw in-hull transducer, Sea Talk networking and video/-instrumentation integration capabilities

VHF Radio - Ray 240

*Raymarine G190

Electronics Package

(1) 19" Color Display

(Units are radar ready - additional components required)

Includes chartplotter (preloaded 3D charts), HDFI fishfinder, high performance 1 kw in-hull transducer, Sea Talk networking and video/-instrumentation integration, and HD radar capabilities

VHF Radio - Ray 240

Raymarine Radar - 4 kw

Raydome (available with C and E Packages)

Raymarine Radar

4 kw Open Array

(available with C & E Packages)

Raymarine Radar - 4 kw HD

Digital Open Array

(available with G Package)

* Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Impact Red
Deep Blue
Onyx Black
Steel Grey

Cabin Fabric Selection

Navy/Tan

ENGINE OPTIONS

Triple Evinrude 250 E-TEC
Tw Yamaha F350 4-stroke

Triple Yamaha F250 4-stroke
Triple Merc 250 Verado 4-stroke

PERFORMANCE DATA - TW YAMAHA F350 4-STROKE

Top Speed	51.4 MPH @ 6100 RPM
Cruise Speed	33.1 MPH @ 4000 RPM
Cruise Range	435 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES

30 SCARAB® TOURNAMENT



L.O.A.	30' 2" (9.19 m)
Beam	9' 2" (2.79 m)
Dry weight (approx.)*	6635 lbs. (3010 kg)
Fuel capacity (Gas)	268 gal. (1,014.5 L)
Max power @ prop	600 HP (447 kw)
Shaft length: Twin	25" (.64 m)
Water capacity	13 gal. (49.21 L)
Deadrise	23°
Draft up (approx.)	23" (.58 m)
Draft down (approx.)	31" (.79 m)
Bridge clearance with std T-top (approx.)	8' 10" (2.73 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Fishboxes - forward/aft and port/starboard
- Lockable storage under forward sole hatch
 - Center console with head
 - Tilt out storage bins - port/starboard
- Under gunwale rod storage • Rigging station at transom
- Pressurized fresh and raw water • Composite transom
 - 10-year structural hull warranty - transferable
 - NMMA Yacht Certification
- Complies with Coast Guard safety regulations
- FRP T-top with electronics box, rod holders, and PFD storage bags

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rail - split - aluminum
 Cleats - pull up stainless steel (7)
 Forward anchor/gear storage
 Hand holds - stainless steel
 Hardware - thru bolted - stainless steel
 Heavy-duty rub rail
 Integrated swim platform
 Rod holders (9) stainless steel - flush mount with cap
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windshield - glass

COCKPIT

Aft baitwell - 84 qt. - with light
 Beverage holders (5) - stainless steel
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Cooler - 50 qt. - integrated under forward console seat
 Courtesy lights - LED
 Fish boxes aft port/stbd (122 qt. ea.) - dedicated macerator overboard pumps
 Fish boxes fwd port/stbd (62 qt. ea.) - drain overboard
 Fold-away rear bench seat cushion and aft bolster
 Glove box - lockable
 Helm seat - stand up leaning post with removable 94 qt. cooler
 Rigging station at transom with sink, raw water washdown and removable bin
 T-top FRP with gold tone rod holders (8), spreader lights (2), electronics box and PFD storage bags
 Tackle storage with (5) drawers and (2) trays
 Tilt out storage bins (2)

HEAD COMPARTMENT

Console entry steps with storage drawers
 Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Portside entry door
 Port light - opening with screen
 Removable curtain with storage and access to console rigging
 Self-contained head
 Sink molded in with pressurized fresh water (cold)

MECHANICAL

Accessory plugs - (2) 12V
 Aft bilge lighting
 Battery switches at helm with voltage sensitive relays
 Bilge pumps with automatic float switch (1) - 1500 gph aft, (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital
 Horn - dual flush mount
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tanks with remote fills (2-stroke engines only)
 Pressurized fresh water system with transom shower and aft sink
 *Propellers - stainless steel
 Stereo radio system
 AM/FM CD player (4) speakers
 Steering - hydraulic tilt, dual ram (BRP and Yamaha)
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy duty with indicators

* Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Baitstation with 40 gal.
Kodiak baitwell, pullout
drawers, and tackle storage
(double drop out bolster seat with aft
facing seat not available)

Battery charger - 30 amp -
with shore power inlet and
50' cord

Bow table

CE certification (for export only)

Double drop out bolster seat
with aft facing seat (not
available with baitstation opt)

Forward bow cushions

Forward bow full filler/sunpad

Gel scheme, solid hull color

Heavy-duty dive ladder -
removable

Heavy-duty rub rail with
stainless steel insert

Marine head with dockside
pumpout

Outriggers - Taco Grand Slam
- 15' poles

Overboard discharge for
marine head

Power assisted steering
(available for Evinrude and
Yamaha engines)

Remote spotlight

Rod holders - additional
6 gunwale mount

T-top canvas enclosure

Trim tabs - 14 x 22 heavy-duty
offshore

220V option (only applicable
when battery charger option is selected)

Windlass - with electric

up/down foot switches
and 300' rope/chain combo,
anchor roller, lanyard
and anchor

Windshield wiper/washer
system

*Raymarine E127

Electronics Package

(Units are radar ready - additional
components required)

12.1" Color displays (2)

Includes chartplotter,
HDFI fishfinder, high
performance 1 kw in-hull
transducer, SeaTalk
networking and video/
instrumentation integration
capabilities

VHF Radio - Ray 54

*Raymarine Radar

4 kw Raydome

*Raymarine Radar

4 kw Open Array

* Note: Items in Packages cannot be
ordered individually unless listed as
stand-alone.

COLOR OPTIONS

Hullside Color Options

Impact Red
Deep Blue
Scarab Black
Steel Grey

XL Scarab Logo

Upholstery Upgrade

Black
Blue
Red

Powdercoat Package

ENGINE OPTIONS

Tw Merc 250 Verado 4-stroke

Tw Merc 300 Verado 4-stroke

Tw Evinrude 250 E-TEC

Tw Yamaha F250 4-stroke

Tw Yamaha F300 4-stroke

PERFORMANCE DATA - TW YAMAHA F250 4-STROKE

Top Speed

54 MPH @ 5900 RPM

Cruise Speed

37 MPH @ 4000 RPM

Cruise Range

504 Miles

Performance and fuel consumption will vary and be affected by water
and weather conditions, altitude, load and condition of boat, engine
and propeller(s). Cruise range based on 95% of fuel capacity. All data
is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without
notice.

NOTES

30 SCARAB® SPORT



L.O.A.	30' 2" (9.19 m)
Beam	9' 2" (2.79 m)
Dry weight (approx.)*	7275 lbs (3302.9 kg)
Fuel capacity	268 gal. (1,014.49 L)
Max power @ prop	600 HP (447 kw)
Shaft length: Twin	25" (.64 m)
Water capacity	13 gal. (49.2 L)
Deadrise	23°
Draft up (approx.)	23" (.58 m)
Draft down (approx.)	31" (.78 m)
Bridge clearance with std Arch (approx.)	8' 2" (2.49 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Forward Cuddy Cabin • Port/stbd lounges
- Head with sink and shower underneath helm station
- Fishboxes & storage - fwd/aft & port/stbd
- Portside amenity station includes refrigerator, stove and sink
- Under gunwale rod storage • Rigging station at transom
 - Pressurized fresh and raw water
 - Composite transom
- 10-year structural hull warranty - transferable
 - NMMA Yacht Certification
- Complies with Coast Guard safety regulations

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rails - split - powdercoated white aluminum
 Cleats - pull up stainless steel (7)
 Forward anchor/gear storage
 Forward deck hatch with screen
 Hardware - thru bolted - stainless steel
 Heavy-duty rub rail
 Integrated swim platform
 Rod holders (9)
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windscreen - glass

COCKPIT

Aft baitwell (84 qt.) with light
 Beverage holders - stainless steel (8)
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Courtesy lights - LED
 Fish boxes aft, port/stbd (122 qt. each) - dedicated macerator overboard pumps
 Fold-away rear bench seat cushion and aft bolster
 Forward storage - in floor
 Glove box - lockable
 Helm seat - convertible leaning post with 74 qt. cooler
 Lounges forward - port/stbd with storage below
 Portside galley station with single burner stove (alcohol/electric), sink, drinkholders, and storage
 Rigging station at transom with sink, raw water washdown and removable bin
 Sport arch powdercoated white with rod holders - fluorescent light and color matched premium canvas

CABIN

12V lighting
 Cabin entry bi-fold locking door
 Deck hatch - opening with screen
 Decor pillows
 Forward V-berth with filler cushion and storage

HEAD COMPARTMENT

Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Removable curtain with storage and access to rigging
 Portside entry door
 Portlight - opening with screen
 Self-contained head
 Sink molded in with hand held shower - hot/cold pressurized fresh water and sump pump

MECHANICAL

Accessory plugs - 12V (2)
 Aft bilge lighting
 Battery charger - 30 amp
 Battery switches at helm with voltage sensitive relays
 Bilge pumps with automatic float switch (1) - 1500 gph aft; (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital
 Horn - stainless steel trumpet
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tanks with remote fills (2-stroke engines only)
 Pressurized fresh water system with transom shower, aft sink, galley sink, and head shower
 *Propellers - stainless steel
 Shore power - 30 amp converter with 50' shore power cord
 Stereo radio system
 AM/FM CD player (4) speakers
 Steering - hydraulic tilt, dual ram (BRP and Yamaha)
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy-duty with indicators
 Water heater - continuous supply

* Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Air conditioner - 5,000 BTU
 reverse cycle with heat
 Bow table
 CE certification (for export only)
 Forward bow full filler/sunpad
 Gel scheme, solid hull color
 Heavy-duty dive ladder -
 removable
 Heavy-duty rub rail with
 stainless steel insert
 Marine head with dockside
 pumpout
 Outriggers - Taco Grand Slam
 - 15" poles
 Overboard discharge for
 marine head
 Power assisted steering
 (available for Evinrude and Yamaha
 engines)
 Refrigerator - stainless steel
 pull out (replaces aft galley
 storage unit)
 Remote spotlight
 Trim tabs - 14 x 22 heavy
 duty offshore
 220V option
 Windlass - with electric
 up/down foot switches and
 300' rope/chain combo,
 anchor roller, lanyard an
 anchor
 Windshield wiper/washer
 system

*Raymarine E127

Electronics Package
 (Units are radar ready - additional
 components required)

12.1" Color displays (2)
 Includes chartplotter,
 HDFI fishfinder, high
 performance 1 kw in-hull
 transducer, SeaTalk
 networking and video/
 instrumentation integration
 capabilities
 VHF Radio - Ray 240

*Raymarine Radar 4 kw Raydome

* Note: Items in Packages cannot be
 ordered individually unless listed as
 stand-alone.

NOTES

COLOR OPTIONS

Hullside Color Options

Impact Red
 Deep Blue
 Scarab Black
 Steel Grey

XL Scarab Logo

Upholstery Upgrade

Black
 Blue
 Red

Powdercoat Package

ENGINE OPTIONS

Tw Yamaha F250 4-stroke
 Tw Yamaha F300 4-stroke
 Tw Merc 250 Verado 4-stroke

Tw Merc 300 Verado 4-stroke
 Tw Evinrude 250 E-TEC

PERFORMANCE DATA - TW YAMAHA F250 4-STROKE

Top Speed	54.9 MPH @ 5800 RPM
Cruise Speed	36.4 MPH @ 4000 RPM
Cruise Range	403 Miles

Performance and fuel consumption will vary and be affected by water
 and weather conditions, altitude, load and condition of boat, engine
 and propeller(s). Cruise range based on 95% of fuel capacity. All data
 is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without
 notice.

35 SCARAB® TOURNAMENT



L.O.A.	35' 4" (10.76 m)
Beam	9' 11" (3.02 m)
Dry weight (approx.)*	8600 lbs. (3901 kg)
Fuel capacity	376 gal. (1,423.31 L)
Max power @ prop	1,050 HP (782 kw)
Shaft length: Twin	30" (.76 m)
Triple (2-port/stbd)	25" (.64 m)
(1-center)	30" (.76 m)
Water capacity	13 gal. (49.21 L)
Deadrise	23°
Draft up (approx.)	23" (.58 m)
Draft down (approx.) (Twin)	33" (.84 m)
Draft down (approx.) (Triple)	39" (.96 m)
Bridge clearance with std T-top (approx.)	8' 4" (2.54 m)
Bridge clearance with option sport arch (approx.)	7' 11" (2.41 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Wider beam provides more seating and cockpit space
- Plenty of storage with 4 tilt-out storage bins • Forward casting platform • Large center console (6'2" head room) includes self-contained head and sink with hand held shower
- Rigging station at transom with sink • Composite transom
 - 10-year structural hull warranty - transferable
 - Pressurized fresh and raw water washdown
 - NMMA Yacht Certification
 - Complies with Coast Guard safety regulations

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rail - split - stainless steel
 Cleats - pull up stainless steel (7)
 Forward anchor line storage
 Hand holds - stainless steel
 Hardware - thru bolted - stainless steel
 Heavy-duty rub rail
 Integrated swim platform
 Rails - stainless steel
 Rod holders (4) stainless steel - flush mount with cap
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windscreen

COCKPIT

Aft baitwell - 84 qt. - with light
 Beverage holders (4) - stainless steel
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Cooler - 60 qt. - integrated under forward console seat
 Courtesy lights
 Fold-away rear bench seat and aft bolster
 Forward casting platform
 Forward fish boxes port/stbd - insulated with sealed lids - 248 qts. each
 Glove box - lockable
 Lean post seat with removable 94 qt. cooler
 Rigging station at transom with sink, raw water washdown and (2) removable bins
 T-top FRP with gold tone rod holders (8), spreader lights (3), electronics box and PFD storage bag
 Tackle storage with (4) drawers and (4) trays
 Tilt out storage bins (4)

HEAD COMPARTMENT

Console entry steps
 Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Hatch access to console rigging
 Mirror
 Portside entry door
 Port light - opening with screen
 Self-contained head
 Sink molded in with hand held shower - pressurized fresh water (cold)
 Vanity storage with toilet paper holder

MECHANICAL

Accessory plugs - 12V (2)
 Aft bilge lighting
 Battery charger - 30 amp
 Battery switches with voltage sensitive relays
 Battery trays - heavy duty with stainless steel sliders
 Bilge pumps with automatic float switch (1) - 1500 gph aft, (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital
 Horn - dual flush mount
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tank storage (2-stroke engines only)
 Pressurized fresh water system with transom shower
 **Propellers - stainless steel
 Shore power - 30 amp converter with 50' shore power cord
 Stereo radio system
 AM/FM CD player
 (4) speakers, and digital control at helm
 Steering - hydraulic tilt, dual ram (BRP and Yamaha)
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy duty with indicators

** Drop shipped and factory rigged engines only

35 SCARAB® SPORT



L.O.A.	35' 4" (10.76 m)
Beam	9' 11" (3.02 m)
Dry weight (approx.)*	8800 lbs. (3992 kg)
Fuel capacity	376 gal. (1,423.31 L)
Max power @ prop	1050 HP (782 kw)
Shaft length: Twin	30" (.76 m)
Triple (2-port/stbd)	25" (.64 m)
(1-center)	30" (.76 m)
Water capacity	13 gal. (49.21 L)
Deadrise	23°
Draft up (approx.)	23" (.58 m)
Draft down (approx.) (Twin)	33" (.84 m)
Draft down (approx.) (Triple)	39" (.96 m)
Bridge clearance with optional T-top (approx.)	8' 4" (2.54 m)
Bridge clearance with std sport arch (approx.)	7' 11" (2.41 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Wider beam provides more seating and cockpit space
- Plenty of rod storage • Rigging station at transom with sink
- The transom layout designed to allow access to mechanical equipment • Full fiberglass liner with integrated storage
- Foam fiberglass encapsulated stringer system • Amenities offer fishing excursions as well as extended family cruising
 - Wider console - portside step-down entry includes self-contained head, sink and access to console rigging
- Pull out battery sliders allow best accessibility for battery maintenance • Composite transom • 10-year structural hull warranty • transferable • Pressurized fresh and raw water system • Hot water heater • NMMA Yacht Certification
 - Complies with Coast Guard safety regulations

STANDARD EQUIPMENT

HULL & DECK

Bow and stern eyes - stainless steel
 Bow rail - aluminum - powdercoat white
 Cleats - pull up stainless steel (7)
 Forward anchor line storage
 Hand holds - stainless steel
 Hardware - thru bolted - stainless steel
 Heavy-duty rub rail
 Integrated swim platform
 Rod holders (4) stainless steel - flush mount with cap
 Rod racks - under gunnel - port/stbd
 Stainless steel thru hulls
 Transom door
 Windscreen with aluminum rail - powdercoat white

COCKPIT

Aft baitwell - 84 qt. - with light
 Beverage holders (4) - stainless steel
 Cockpit overboard scuppers with screens
 Cockpit coaming bolsters - port/stbd
 Cooler - 60 qt. - integrated under forward console seat
 Courtesy lights
 Fish box/storage box insulated with overboard drain and sealed lids - port/stbd
 Fold-away rear bench seat and aft bolster
 Glove box - lockable
 Lean post seat with removable 94 qt. cooler
 Rigging station at transom with sink, raw water washdown and 2 removable bins
 Seating - port/stbd lounge with storage
 Sport arch powdercoat white with electronics box, rocket launchers
 Stove - butane - self-contained - tilt out (not available for CE boats)
 Tackle storage with (2) drawers and (2) trays
 Tilt out storage bins (2)

CABIN

12V lighting
 Cabin entry bi-fold locking door
 Deck hatch - opening with screen
 Decor pillows
 Dinette table
 Forward V-berth with filler cushion and storage below
 Storage cabinet

HEAD CONSOLE

Console entry steps
 Dome light with switch - 12V
 Full fiberglass liner - skid resistant
 Hatch access to console rigging
 Mirror
 Portside entry door
 Port light - opening with screen
 Self-contained head
 Sink molded in with handheld shower - hot/cold pressurized fresh water system
 Vanity storage with toilet paper holder

MECHANICAL

Accessory plugs - 12V (2)
 Aft bilge lighting
 Battery charger - 30 amp
 Battery switches with voltage sensitive relays
 Battery trays - heavy-duty with stainless steel sliders
 Bilge pumps with automatic float switch (1) - 1500 gph aft, (1) 500 gph fwd
 Compass
 Electronics accessory buss at helm
 Full instrumentation - digital
 Horn - dual flush mount
 Hoses - steel reinforced
 Ignition safety lanyard
 Navigation lights
 Oil tank storage (2-stroke engines only)
 Pressurized fresh water system with transom shower
 **Propellers - stainless steel
 Shore power - 30 amp converter with 50' shore power cord
 Stereo radio system - AM/FM CD player, (4) speakers, and digital control at helm
 Steering - hydraulic tilt, dual ram (BRP and Yamaha)
 Steering wheel - stainless steel with power knob
 Submersible rated electrical connections
 Trim tabs - heavy-duty with indicators
 Water heater - 6 gallon
 ** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Air conditioning - 5000 BTU
Baitstation with 40 gal.
Kodiak baitwell, pullout
drawers, and tackle storage
(double drop out bolster sea
with aft facing seat not available)
CE certification (for export only)
Double drop out bolster seat
with aft facing seat (not available
with baitstation opt)
Gel scheme, solid hull color
Generator - 5 kw gas with
galvanic isolator with status
monitoring
Heavy-duty dive ladder -
removable
Heavy-duty rub rail with
stainless steel insert
Marine head with dockside
pumpout
Outriggers - Taco Grand Slam
- 15' poles (only available
with T-top opt)
Overboard discharge for
marine head
Power assisted steering
(Yamaha and Evinrude engines only)
Remote spotlight
Rod rack - transom
mounted
**T-top FRP with aluminum
frame, 8 gold tone rod
holders, electronics box,
outrigger plates, spreader
lights (3) and PFD storage
T-top canvas enclosure -
3 sided
Trim tabs - heavy duty offshore
220V option

Windlass - with electric
up/down foot switches, 300'
rope/chain combo, anchor
roller, lanyard and anchor

*Raymarine E127 Electronics Package (2) 12.1" Color Displays

(Units are radar ready - additional
components required)
Includes chartplotter,
HDFI fishfinder, High
Performance 1 kw in-hull
transducer, SeaTalk
networking, and video/
instrumentation integration
capabilities

VHF Radio - Ray 54

Raymarine Radar 4 kw Radome

Raymarine Radar 4 kw Open Array

* Note: Items in Packages cannot be
ordered individually unless listed as
stand-alone.

** Note: If T-Top option is selected, all
standard powdercoated rails/seat
frames will not be powdercoated
unless powdercoat option is selected.

COLOR OPTIONS

Hullside Color Options

Impact Red
Deep Blue
Scarab Black
Steel Grey

XL Scarab Logo

Upholstery Upgrade

Black
Blue
Red

Interior Fabric Selection

Vista Sand

Powdercoat Package

(Only available if T-Top is selected)

ENGINE OPTIONS

Triple Merc 300 Verado 4-stroke
Tw Yamaha F350 4-stroke

Triple Yamaha F300 4-stroke
Triple Yamaha F350 4-stroke

PERFORMANCE DATA - TW YAMAHA F350 4-STROKE

Top Speed	57.2 MPH @ 5800 RPM
Cruise Speed	38.1 MPH @ 4000 RPM
Cruise Range	560 Miles

Performance and fuel consumption will vary and be affected by water
and weather conditions, altitude, load and condition of boat, engine
and propeller(s). Cruise range based on 95% of fuel capacity. All data
is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without
notice.



Wellcraft®

wellcraft.com

925 FRISBIE STREET • CADILLAC, MI 49601

231-775-1351

PART # 090-3021-13