



# EXCALIBUR



## 230 EXCALIBUR SPORT



L.O.A.	22'9" (6.93m)
Beam	8'4" (2.54m)
Dry weight w/engine (approx.)	3800 lbs. (1724kg)
Fuel capacity	75 gal. (283.8L)
Max horsepower @ prop	415 HP (309.7kw)
Deadrise	21°
Draft: up (approx.)	18" (.46m)
Draft: down (approx.)	36" (.92m)
Bridge clearance w/o top	4'10" (1.47m)
Bridge clearance w/bimini top	6'11" (2.10m)

### KEY SALES FEATURES

- All fiberglass bow and cockpit liner
  - Ski and kneeboard storage
- Microballoon filled strakes for additional strength
  - Variable degree deadrise hull
- Complies with Coast Guard safety regulations
  - All stainless steel deck hardware thru-bolted
- 10-Year structural limited hull warranty - transferable
  - Integrated swim platform with boarding ladder
  - Step Lift V II™ bottom • NMMA Certified

## STANDARD EQUIPMENT

### HULL & DECK

Anchor light  
Anchor locker  
Bow eye - stainless steel  
Bow liner fiberglass  
Cleats - stainless steel  
Engine cover hinged with fiberglass liner and power lift and sun lounge cushion  
Exhaust vents  
Foot rest - helm and companion  
Gunwale trim - heavy duty  
Hand holds - stainless steel  
Ski locker  
Ski tow eye - stainless steel  
Stainless steel rails  
Stern eyes - stainless steel  
Swim platform - integrated with boarding ladder  
Windshield - tinted with tempered glass - walk thru

### COCKPIT

Aft bench seat U-shaped with ski storage below  
Beverage holders  
Canvas sport top - Sunbrella color matched  
Cockpit carpet - snap in  
Cockpit coaming storage boxes  
Courtesy lights

Glove box - lockable  
Seats - port & stbd adjustable bucket seats

### MECHANICAL

Battery tray  
Bilge blower  
Bilge pump with auto float switch  
Controls with trim  
Engine hatch - electric  
Engine mounts - aluminum thru-bolted  
Fuel tank - non-corrosive - built-in  
Horn - electric flush mounted  
Ignition interrupter with lanyard  
Instrumentation - woodgrain dash with fuel, voltmeter, tachometer, speedometer, oil pressure, water temperature, trim and depth finder  
Navigation lights  
Power steering with tilt wheel  
Propeller - aluminum  
Stereo - Clarion AM/FM CD player with all-weather speakers (4) and remote control  
Switches - weather resistant  
Woodgrain steering wheel

## OPTIONAL EQUIPMENT

Aft seat filler cushion  
Bimini top with boot - color matched Sunbrella  
Bow cover  
Bow filler cushion with table  
Canada certification  
Canvas - side, aft curtain and windshield connector for bimini top  
Canvas - side, aft for sport top  
CE certification (for export only)  
Cleats - pull up stainless steel  
Cockpit cover  
Cradle  
Fire extinguisher system  
Gunwale trim - heavy duth with stainless steel insert  
Head - self contained  
Pressurized fresh water system with transom shower  
Trailer - custom painted (NEW)  
Trim tabs

### \* Preferred Option Package

Bow cover  
Cockpit cover  
Pull up cleats  
Stainless steel thru hulls  
**Nova EX Package (NEW)**  
Battery on/off switch  
Color coordinated cockpit canvas  
Color coordinated cockpit carpet

Custom painted graphics red/blue/yellow

\*\*Exhaust - Corsa Quick and Quiet Plus

Fire extinguisher system  
Merc Zero effort controls with trim  
Stand up bolster seating

\* Note: Items in Packages cannot be ordered individually - unless listed as a stand alone.

\*\*Noise abatement laws vary by state. Please check your local area.

## ENGINE OPTIONS

Merc 350 MAG MPI Bravo I (A)	Volvo 5.7 GI SX (A)
Merc MX 6.2 MPI Bravo I	Volvo 5.7 GI DP (A)
Merc MX 6.2 MPI Bravo III	Volvo 5.7 GXI SX
Merc 496 MAG Bravo I	Volvo 5.7 GXI DP
	Volvo 8.1 GI DP (A)

(A) Bodensee approved

## COLOR OPTIONS

Red, Blue, Green, Yellow  
Hullside Gelcoat (not available with Nova Ex package)

## PERFORMANCE DATA - Volvo 5.7 GXI DP

Time to Plane	5.0 Seconds
Top Speed	56.1 MPH @ 5000 RPM
Cruise Speed	35.9 MPH @ 3500 RPM
Cruise Range	220 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

## NOTES

---

---

---

---

---

---

---

---

---

---

